

PageSpeed Insights

Mobile



61 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 16 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/jquery-1.7.1.min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/ui/jquery-ui-1.8.16.custom.min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/common2.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/nivo-slider/jquery.nivo.slider.pack.js>

Mobile

- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/jquery.nivo.slider.pack.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/tabs.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/colorbox/jquery.colorbox-min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/jquery.jcarousel.min.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/owl.carousel.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/main.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/common2.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/responsive/enquire.min.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/newselect.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/scroll/scrolltopcontrol.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/fixmenu.js>
- https://agrotehnic.com.ua/catalog/view/theme/univer/js/responsive/menu_script.js

[Optimize CSS Delivery](#) of the following:

- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/stylesheet.css>
- https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/free_stickers.css
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/style1.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/faqmanager.css>
- <https://agrotehnic.com.ua/catalog/view/javascript/blog/font-awesome/css/font-awesome.min.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/slideshow.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/nivo-slider.css>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/colorbox/colorbox.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/news.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/carousel.css>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/ui/themes/ui-lightness/jquery-ui-1.8.16.custom.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/responsive.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/topmenu.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/owl.carousel.css>

- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/owl.theme.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 250.4KiB (37% reduction).

- Compressing and resizing <https://agrotehnic.com.ua/image/data/agrotehnic-4.png> could save 35.5KiB (75% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/aktsiya-na-generatory-kentavr-12-19.jpg> could save 20.2KiB (24% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/aktsiya-na-dvigateli-kentavr.jpg> could save 17.8KiB (22% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/chernaya-pyatnitsa-kentavr.jpg> could save 14.4KiB (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/besplatnaya-dostavka-weima.jpg> could save 12.9KiB (23% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc epki/trehtochechnoe-pritsepnoe-dlya-mototraktora-universalnoe-2.jpg> could save 9KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/be nzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-5.jpg> could save 7.8KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/be nzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-4.jpg> could save 7.7KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/drovokoly/drovokol-pod-motoblok-konus-65-mm-2.jpg> could save 7.4KiB (90% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h odoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-3.jpg> could save 7KiB (90% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc epki/trehtochechnoe-pritsepnoe-dlya-mototraktora-universalnoe.jpg> could save 6.5KiB (90% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h>

Mobile

- odoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach_4.jpg could save 5.6KiB (89% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-6.jpg> could save 5.6KiB (89% reduction).
 - Compressing and resizing https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach_2.jpg could save 5.5KiB (89% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/dtz.png> could save 5.4KiB (53% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-5.jpg> could save 5.2KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc epki/trehtochechnoe-pritsepnoe-dlya-mototraktora-universalnoe-4.jpg> could save 5.2KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-3.jpg> could save 4.9KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/plugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-1.jpg> could save 4.6KiB (87% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/plugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-4.jpg> could save 4.5KiB (86% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/plugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-2.jpg> could save 3.8KiB (86% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/motor-sich.png> could save 3.4KiB (41% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/drovokoly/konus-dlya-drovokola-65-mm.jpg> could save 2.9KiB (84% reduction).
 - Compressing <https://agrotehnic.com.ua/catalog/view/theme/univer/image/arrow-select.png> could save 2.7KiB (95% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-2.jpg> could save 2.2KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm.jpg> could save 1.7KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel->

Mobile

- kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-4.jpg could save 1.6KiB (17% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm.jpg> could save 1.6KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-3.jpg> could save 1.5KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-3.jpg> could save 1.5KiB (19% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-3.jpg> could save 1.5KiB (19% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-2.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-4.jpg> could save 1.4KiB (21% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-5.jpg> could save 1.4KiB (21% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-4.jpg> could save 1.4KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/drovokoly/drovokol-pod-motoblok-konus-65-mm.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie.jpg> could save 1.3KiB (19% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-5.jpg> could save 1.3KiB

Mobile

(21% reduction).

- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-4.jpg> could save 1.3KiB (21% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/scepki/trehtoc-hechnoe-pritsepnoe-dlya-mototraktora-universalnoe-3.jpg> could save 1.2KiB (19% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-3.jpg> could save 1.2KiB (21% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/limex.png> could save 1.2KiB (44% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/tata.png> could save 1.2KiB (35% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/plugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-3.jpg> could save 1.1KiB (22% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/vitals.png> could save 1.1KiB (17% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka.jpg> could save 1,000B (18% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach.jpg> could save 954B (19% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm.jpg> could save 812B (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/NEWS/izmelchitel-vetok-drovokol-dlya-motobloka-dvuhstoronnyaya-zatochka.jpg> could save 810B (27% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/navesnoe/kartofelekopalki/kartofelekopalka-dlya-motobloka-s-hodoumenshitelem/kartofelekopalka-dlya-motobloka-s-hodoumenshitelem.jpg> could save 810B (23% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/navesnoe/kosilki/kosilka-rotornaya-dlya-motobloka-weima-wm1000.jpg> could save 801B (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/dvigateli/benzin/dvigatel-grunwelt-gw170f-t25-shlitsy/dvigatel-grunwelt-gw170f-t25-shlitsy.jpg> could save 798B (24% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/navesnoe/chesnokosazhalki/chesnokosazhalka-trehryadnaya-expert/chesnokosazhalka-trehryadnaya-expert-2.jpg> could save 774B (26% reduction).

Mobile

- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/weima.png> could save 713B (16% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/kruchkov.jpg> could save 663B (28% reduction).
- Compressing https://scontent.flux1-1.fna.fbcdn.net/v/t1.0-1/p50x50/66740634_2410061895722356_1899449750512467968_n.png?_nc_cat=108&_nc_ohc=REjXAzcC1tkAQnBUsoBmM5UtT6DZVFVBiilrGYur9H3YKIEZw4vXRGNdA&_nc_ht=scontent.flux1-1.fna&oh=883d12d27cf88d510983400b4a58736a&oe=5E667497 could save 616B (13% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/50-30/data/paymetod/mastercard.png> could save 613B (27% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/starke.png> could save 547B (16% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yS/r/vcc5m4dw3rZ.png> could save 518B (37% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/tiras.png> could save 455B (15% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/fayter.png> could save 449B (15% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/doka.png> could save 432B (16% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/samson.png> could save 397B (14% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/youtube-3.png> could save 302B (38% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/facebook.png> could save 142B (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/vkontakte.png> could save 132B (19% reduction).



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Mobile

[Enable compression](#) for the following resources to reduce their transfer size by 997B (51% reduction).

- Compressing <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/faqmanager.css> could save 447B (57% reduction).
- Compressing <https://agrotehnic.com.ua/catalog/view/javascript/jquery/tabs.js> could save 229B (50% reduction).
- Compressing https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/free_stickers.css could save 162B (52% reduction).
- Compressing <https://agrotehnic.com.ua/catalog/view/theme/univer/js/fixmenu.js> could save 159B (42% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://st.top100.ru/top100/top100.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)



6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

98 / 100 User Experience

Consider Fixing:


Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing

Mobile

around them.

- The tap target `` and 1 others are close to other tap targets final.
- The tap target `<div class="btnNav"></div>` is close to 1 other tap targets final.
- The tap target `г. Киев ул. Полтавская, 10` is close to 1 other tap targets final.
- The tap target `книга отзывов  is close to 1 other tap targets final.`
- The tap target `(068) 530-08-58` and 3 others are close to other tap targets final.
- The tap target `Сервис и ремонт` is close to 1 other tap targets final.
- The tap target `1` is close to 4 other tap targets final.
- The tap target `2` and 2 others are close to other tap targets final.
- The tap target `Хиты осени 2019` is close to 1 other tap targets final.
- The tap target `Топ просмотров` and 1 others are close to other tap targets final.
- The tap target `Контакты` and 4 others are close to other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile


Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



72 / 100 Speed

! Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 16 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

Desktop

- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/jquery-1.7.1.min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/ui/jquery-ui-1.8.16.custom.min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/common2.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/nivo-slider/jquery.nivo.slider.pack.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/jquery.nivo.slider.pack.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/tabs.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/colorbox/jquery.colorbox-min.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/jquery.jcarousel.min.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/owl.carousel.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/main.js>
- <https://agrotehnic.com.ua/catalog/view/javascript/common2.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/responsive/enquire.min.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/newselect.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/scroll/scrolltopcontrol.js>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/js/fixmenu.js>
- https://agrotehnic.com.ua/catalog/view/theme/univer/js/responsive/menu_script.js

[Optimize CSS Delivery](#) of the following:

- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/stylessheet.css>
- https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/free_stickers.css
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/style1.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/faqmanager.css>
- <https://agrotehnic.com.ua/catalog/view/javascript/blog/font-awesome/css/font-awesome.min.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/slideshow.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/nivo-slider.css>
- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/colorbox/colorbox.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/news.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylessheet/carousel.css>

Desktop

- <https://agrotehnic.com.ua/catalog/view/javascript/jquery/ui/themes/ui-lightness/jquery-ui-1.8.16.custom.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/responsive.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/topmenu.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/owl.carousel.css>
- <https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/owl.theme.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 250.4KiB (37% reduction).

- Compressing and resizing <https://agrotehnic.com.ua/image/data/agrotehnic-4.png> could save 35.5KiB (75% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/aktsiya-na-generatory-kentavr-12-19.jpg> could save 20.2KiB (24% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/aktsiya-na-dvigateli-kentavr.jpg> could save 17.8KiB (22% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/chernaya-pyatnitsa-kentavr.jpg> could save 14.4KiB (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/980-280/data/besplatnaya-dostavka-weima.jpg> could save 12.9KiB (23% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc-epki/trehtochehnoe-pritsepnoe-dlya-mototraktora-universalnoe-2.jpg> could save 9KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/be-nzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-5.jpg> could save 7.8KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/be-nzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-4.jpg> could save 7.7KiB (91% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/drovokoly/drovokol-pod-motoblok-konus-65-mm-2.jpg> could save 7.4KiB (90% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h>

Desktop

- odoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-3.jpg could save 7KiB (90% reduction).
- Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc epki/trehtochechnoe-pritsepnoe-dlya-motraktora-universalnoe.jpg> could save 6.5KiB (90% reduction).
 - Compressing and resizing https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h odoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach_4.jpg could save 5.6KiB (89% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h odoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-6.jpg> could save 5.6KiB (89% reduction).
 - Compressing and resizing https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h odoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach_2.jpg could save 5.5KiB (89% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/dtz.png> could save 5.4KiB (53% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/h odoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka-5.jpg> could save 5.2KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/sc epki/trehtochechnoe-pritsepnoe-dlya-motraktora-universalnoe-4.jpg> could save 5.2KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/be nzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm-3.jpg> could save 4.9KiB (88% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/pl ugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-1.jpg> could save 4.6KiB (87% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/pl ugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-4.jpg> could save 4.5KiB (86% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/pl ugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-2.jpg> could save 3.8KiB (86% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/motor-sich.png> could save 3.4KiB (41% reduction).
 - Compressing and resizing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/dr ovokoly/konus-dlya-drovokola-65-mm.jpg> could save 2.9KiB (84% reduction).
 - Compressing <https://agrotehnic.com.ua/catalog/view/theme/univer/image/arrow-select.png> could save 2.7KiB (95% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel->

Desktop

- kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-2.jpg could save 2.2KiB (20% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm.jpg> could save 1.7KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-4.jpg> could save 1.6KiB (17% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm/dvigatel-grunwelt-gw170f-s-shponka-val-20-mm.jpg> could save 1.6KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm-3.jpg> could save 1.5KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-3.jpg> could save 1.5KiB (19% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-3.jpg> could save 1.5KiB (19% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-2.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-4.jpg> could save 1.4KiB (21% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-5.jpg> could save 1.4KiB (21% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich-4.jpg> could save 1.4KiB (18% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/drovokoly/drovokol-pod-motoblok-konus-65-mm.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza.jpg> could save 1.4KiB (20% reduction).
 - Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/adaptery/adapter-bum-4-dlya-motobloka-motor-sich/adapter-bum-4-dlya-motobloka-motor-sich.jpg> could save 1.4KiB (20% reduction).

Desktop

- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie.jpg> could save 1.3KiB (19% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-freza-5.jpg> could save 1.3KiB (21% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-4.jpg> could save 1.3KiB (21% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/scepki/trehtoc-hechnoe-pritsepnoe-dlya-mototraktora-universalnoe-3.jpg> could save 1.2KiB (19% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/sadovaya-tehnika/motobloki/motobloki-kentavr/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie/motoblok-kentavr-mb-1012d-dizel-vodyanoe-ohlazhdenie-3.jpg> could save 1.2KiB (21% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/limes.png> could save 1.2KiB (44% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/tata.png> could save 1.2KiB (35% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/plugi/plug-oborotnyj-ukrainapolsha/plug-oborotnyj-ukrainapolsha-3.jpg> could save 1.1KiB (22% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/vitals.png> could save 1.1KiB (17% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-reduktornyj-dlya-motobloka/hodoumenshitel-reduktornyj-dlya-motobloka.jpg> could save 1,000B (18% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/160-160/data/navesnoe/hodoumenshiteli/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach/hodoumenshitel-korobka-peredach-motoblochnaya-6-peredach.jpg> could save 954B (19% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/dvigateli/benzin/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm/dvigatel-kentavr-dvz-210bshlm-shlitsy-20-mm.jpg> could save 812B (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/NEWS/izmelchitel-vetok-drovokol-dlya-motobloka-dvuhstoronnyaya-zatochka.jpg> could save 810B (27% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/navesnoe/kartofelekopalki/kartofelekopalka-dlya-motobloka-s-hodoumenshitelem/kartofelekopalka-dlya-motobloka-s-hodoumenshitelem.jpg> could save 810B (23% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/90-90/data/navesnoe/kosilki/kosilka-rotornaya-dlya-motobloka-weima-wm1000.jpg> could save 801B (25% reduction).

Desktop

- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/dvigateli/benzin/dvigatel-grunwelt-gw170f-t25-shlitsy/dvigatel-grunwelt-gw170f-t25-shlitsy.jpg> could save 798B (24% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/navesnoe/chesnokosazhalki/chesnokosazhalka-trehryadnaya-expert/chesnokosazhalka-trehryadnaya-expert-2.jpg> could save 774B (26% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/weima.png> could save 713B (16% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/kruchkov.jpg> could save 663B (28% reduction).
- Compressing https://scontent.flux1-1.fna.fbcdn.net/v/t1.0-1/p50x50/66740634_2410061895722356_1899449750512467968_n.png?_nc_cat=108&_nc_ohc=REjXAzC1tkAQnBUsobmM5UtT6DZVFVBiiIrGYur9H3YKIEZw4vXRGNdA&_nc_ht=scontent.flux1-1.fna&oh=883d12d27cf88d510983400b4a58736a&oe=5E667497 could save 616B (13% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/50-30/data/paymetod/mastercard.png> could save 613B (27% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/starke.png> could save 547B (16% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yS/r/vcc5m4dw3rZ.png> could save 518B (37% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/tiras.png> could save 455B (15% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/fayter.png> could save 449B (15% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/doka.png> could save 432B (16% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/80-80/data/proizvod/samson.png> could save 397B (14% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/youtube-3.png> could save 302B (38% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/facebook.png> could save 142B (25% reduction).
- Compressing <https://agrotehnic.com.ua/image/cache/24-24/data/demo/vkontakte.png> could save 132B (19% reduction).

 Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 997B (51% reduction).

- Compressing `https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/faqmanager.css` could save 447B (57% reduction).
- Compressing `https://agrotehnic.com.ua/catalog/view/javascript/jquery/tabs.js` could save 229B (50% reduction).
- Compressing `https://agrotehnic.com.ua/catalog/view/theme/univer/stylesheet/free_stickers.css` could save 162B (52% reduction).
- Compressing `https://agrotehnic.com.ua/catalog/view/theme/univer/js/fixmenu.js` could save 159B (42% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- `https://mc.yandex.ru/metrika/advert.gif` (60 minutes)
- `https://mc.yandex.ru/metrika/tag.js` (60 minutes)
- `https://st.top100.ru/top100/top100.js` (60 minutes)
- `https://www.google-analytics.com/analytics.js` (2 hours)

Reduce server response time

Desktop

In our test, your server responded in 0.21 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).