


# PageSpeed Insights

## Mobile



87 / 100 Speed

! Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 26.3KiB (75% reduction).

- Compressing <http://dot.netguides.eu/> could save 23.6KiB (76% reduction).
- Compressing <http://dot.netguides.eu/style.css> could save 2.7KiB (71% reduction).

### Leverage browser caching

## Mobile

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://dot.netguides.eu/style.css> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 554B (15% reduction).

- Minifying <http://dot.netguides.eu/style.css> could save 554B (15% reduction).

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.2KiB (11% reduction).

- Minifying <http://dot.netguides.eu/> could save 3.2KiB (11% reduction).

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

## Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://dot.netguides.eu/style.css>



### 5 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

#### Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

#### Optimize images

Your images are optimized. Learn more about [optimizing images](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 66 / 100 User Experience

### Should Fix:

#### Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div id="abgc" class="abgc">AdChoices</div>` is close to 1 other tap targets final.
- The tap target `<input type="checkbox" name="handle_cgi">` and 18 others are close to other tap targets final.
- The tap target `<input type="text" name="force_ssl_domain">` and 28 others are close to other tap targets final.
- The tap target `<a href="/aclk?sa=l&ai=...gstern.html" class="rhbody">Über 98% Erfol...nmeldung hier!</a>` is close to 1 other tap targets final.
- The tap target `<div id="abgc" class="abgc">AdChoices</div>` is close to 2 other tap targets final.
- The tap target `<input type="next" name="timed_page_end">` is close to 4 other tap targets final.
- The tap target `<a href="http://www.max.../app/mod_geoip">mod_geoip</a>` is close to 1 other tap targets final.
- The tap target `<input type="reset" name="reset">` and 1 others are close to other tap targets.

### Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- netguides - se...rnet community renders only 7 pixels tall (18 CSS pixels) final.
- freudenberg-it...Data/Analytics renders only 6 pixels tall (15 CSS pixels) final.
- Custom Error Documents and 6 others render only 6 pixels tall (16 CSS pixels) final.
- This trick wil...to login.php. and 51 others render only 4 pixels tall (11 CSS pixels) final.
- REWRITE CONDITION and 3 others render only 6 pixels tall (16 CSS pixels) final.
- is setup and c...try of origin. and 51 others render only 4 pixels tall (11 CSS pixels) final.
- Über 98% Erfol...nmeldung hier! renders only 6 pixels tall (16 CSS pixels) final.
- knowledge-depa...ent.de/termine renders only 4 pixels tall (11 CSS pixels) final.
- Additional Mime Types and 1 others render only 4 pixels tall (11 CSS pixels) final.
- File extension...in this format and 4 others render only 4 pixels tall (11 CSS pixels) final.
- Browser Dependant Page and 1 others render only 3 pixels tall (9 CSS pixels) final.
- mod\_geoip and 1 others render only 4 pixels tall (11 CSS pixels) final.
- .htaccess Creator provided by renders only 4 pixels tall (10 CSS pixels).



2 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many


## Mobile

platforms. Learn more about the importance of [avoiding plugins](#).

## Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

## Desktop



90 / 100 Speed

! Consider Fixing:

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 26.3KiB (75% reduction).

- Compressing <http://dot.netguides.eu/> could save 23.6KiB (76% reduction).
- Compressing <http://dot.netguides.eu/style.css> could save 2.7KiB (71% reduction).

# Desktop

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://dot.netguides.eu/style.css> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 554B (15% reduction).

- Minifying <http://dot.netguides.eu/style.css> could save 554B (15% reduction).

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.2KiB (11% reduction).

- Minifying <http://dot.netguides.eu/> could save 3.2KiB (11% reduction).

# Desktop

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://dot.netguides.eu/style.css>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 7.4KiB (14% reduction).

- Compressing [https://tpc.googlesyndication.com/daca\\_images/simgad/6888744035002537972](https://tpc.googlesyndication.com/daca_images/simgad/6888744035002537972) could save 4.9KiB (12% reduction).
- Compressing [https://tpc.googlesyndication.com/daca\\_images/simgad/203704762020441477](https://tpc.googlesyndication.com/daca_images/simgad/203704762020441477) could save 2.5KiB (17% reduction).

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 18% of the final above-the-fold content could be rendered with the full HTML



response snapshot:3.



### 3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

#### Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).