


PageSpeed Insights

Mobile



67 / 100 Speed

 Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://kachatroom.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://kachatroom.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://kachatroom.com/wp-content/plugins/wordapp-mobile-app/js/ajax.js?date=20200224083016&ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/js/custom.js?ver=4.8.3>

Mobile

[Optimize CSS Delivery](#) of the following:

- <http://kachatroom.com/wp-content/themes/newp/style.css?ver=4.8.3>
- <http://fonts.googleapis.com/css?family=+Montserrat%3A100%2C300%2C400%2C700&ver=4.8.3>
- <http://fonts.googleapis.com/css?family=Source+Sans+Pro%3A100%2C300%2C400%2C700&ver=4.8.3>
- <https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css?ver=1.10.7>
- <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-slider.css?ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-dark/dark.css?ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/assets/bootstrap/css/bootstrap.min.css?ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/assets/css/jquery.flex-images.css?ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/assets/css/hover.min.css?ver=4.8.3>
- <http://kachatroom.com/wp-content/themes/newp/assets/css/default.css?ver=4.8.3>



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 18.1KiB (64% reduction).

- Compressing <https://c.disquscdn.com/next/embed/assets/img/svg-sprite.7859ff6926286ed3fea6ba817681e88d.svg> could save 7.8KiB (63% reduction).
- Compressing https://disqus.com/api/3.0/posts/getContext.json?post=4103208451&order=desc&api_key=E8Uh5I5fHZ6gD8U3KycjAIAk46f68Zw7C6eW8WSjZvCLXebZ7p0r1yrYDrLiik2F could save 4.9KiB (75% reduction).
- Compressing <https://disqus.com/next/config.js> could save 3.1KiB (58% reduction).

Mobile

- Compressing https://disqus.com/api/3.0/forums/details?forum=kachatroom&attach=forumFeatures&api_key=E8Uh5I5fHZ6gD8U3KycjAIAk46f68Zw7C6eW8WSjZvCLXebZ7p0r1yrYDrLilk2F could save 1.6KiB (58% reduction).
- Compressing <https://live.rezync.com/pixel.html?c=4656c20ee35215f78e9273796625d90b&c&id=c2b7lv1n1g0n67q&pctry=US> could save 443B (53% reduction).
- Compressing <https://c.disquscdn.com/next/embed/assets/img/disqus-social-icon-light.db220ca78b54cb3f7deceb0ff1eaa2e8.svg> could save 199B (36% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://kachatroom.com/wp-content/uploads/2017/12/cropped-kitty-background.jpg> (expiration not specified)
- <http://cdn.viglink.com/images/pixel.gif?ch=1&rn=5.965479698032141> (15 seconds)
- <http://cdn.viglink.com/images/pixel.gif?ch=2&rn=5.965479698032141> (15 seconds)
- <https://disqus.com/next/config.js> (60 seconds)
- <https://kachatroom.disqus.com/embed.js> (60 seconds)
- https://connect.facebook.net/en_US/sdk.js (20 minutes)
- <https://apis.google.com/js/api.js> (30 minutes)
- https://accounts.google.com/o/oauth2/iframerpc?action=checkOrigin&origin=https%3A%2F%2Fdisqus.com&client_id=508198334196-bgmagrg0a2rub674g0shidj8fnd50dji.apps.googleusercontent.com (60 minutes)

Reduce server response time

In our test, your server responded in 0.69 seconds.

Mobile

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.9KiB (45% reduction).

- Minifying <http://kachatroom.com/wp-content/themes/newp/style.css?ver=4.8.3> could save 2.3KiB (48% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-slider.css?ver=4.8.3> could save 338B (42% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-dark/dark.css?ver=4.8.3> could save 201B (27% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 765B (17% reduction).

- Minifying <http://kachatroom.com/> could save 765B (17% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 787B (36% reduction).

- Minifying https://connect.facebook.net/en_US/sdk.js could save 670B (39% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/js/navigation.js?ver=20120206> could save 117B (27% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 23.2KiB (28% reduction).

- Compressing <http://kachatroom.com/wp-content/uploads/2017/12/cropped-kitty-background.jpg> could save 21.5KiB (30% reduction).
- Compressing <https://c.disquscdn.com/uploads/users/20882/1239/avatar92.jpg?1519619591> could save 375B (11% reduction).
- Compressing <https://c.disquscdn.com/uploads/users/25089/6572/avatar92.jpg?1523304240> could save 357B (15% reduction).
- Compressing <https://c.disquscdn.com/uploads/users/29483/486/avatar92.jpg?1574822270> could save 339B (12% reduction).
- Compressing <https://c.disquscdn.com/uploads/users/24361/3650/avatar92.jpg?1573856276> could save 332B (16% reduction).
- Compressing <https://a.disquscdn.com/1581704280/images/noavatar92.png> could save 306B (19% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

90 / 100 User Experience

! Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Zach Galifianakis` and 25 others are close to other tap targets.
- The tap target `terra` and 16 others are close to other tap targets.
- The tap target `terra` and 16 others are close to other tap targets.
- The tap target `a year ago` and 23 others are close to other tap targets.
- The tap target `View — uploads.disquscdn.com` and 1 others are close to other tap targets.
- The tap target `View — uploads.disquscdn.com` and 9 others are close to other tap targets.
- The tap target `View — uploads.disquscdn.com` and 4 others are close to other tap targets.
- The tap target `View — uploads.disquscdn.com` and 2 others are close to other tap targets.
- The tap target `<li class="nav-tab nav-ta...on-menu unread">1` is close to 2 other tap targets.

Mobile

- The tap target `<li class="nav-tab nav-ta...on-menu unread">1` and 1 others are close to other tap targets.
- The tap target `<li class="nav-tab nav-ta...on-menu unread">1` and 1 others are close to other tap targets.
- The tap target `Recommend Recommended 222` is close to 1 other tap targets.
- The tap target `Recommend Recommended 222` is close to 1 other tap targets.
- The tap target `–` and 21 others are close to other tap targets.
- The tap target `` and 21 others are close to other tap targets.
- The tap target `<li id="post-3687682165" class="post">– + June • 2 y...w more replies` and 5 others are close to other tap targets.
- The tap target `<li id="post-3687682165" class="post">– + June • 2 y...w more replies` and 5 others are close to other tap targets.
- The tap target `` and 5 others are close to other tap targets.
- The tap target `PajaroLoco` and 29 others are close to other tap targets.
- The tap target `3` and 15 others are close to other tap targets.
- The tap target `<li id="post-3687682954" class="post">– + Rin ItsYa...w more replies` and 10 others are close to other tap targets.
- The tap target `Disqus' Privac...PolicyPrivacy` is close to 1 other tap targets.
- The tap target `Disqus' Privac...PolicyPrivacy` is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Mobile

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).


Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



86 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Desktop](#)

[Enable compression](#) for the following resources to reduce their transfer size by 18.1KiB (64% reduction).

- Compressing <https://c.disquscdn.com/next/embed/assets/img/svg-sprite.7859ff6926286ed3fea6ba817681e88d.svg> could save 7.8KiB (63% reduction).
- Compressing https://disqus.com/api/3.0/posts/getContext.json?post=4103208451&order=desc&api_key=E8Uh5I5fHZ6gD8U3KycjAlAk46f68Zw7C6eW8WSjZvCLXebZ7p0r1yrYDrLilk2F could save 4.9KiB (75% reduction).
- Compressing <https://disqus.com/next/config.js> could save 3.1KiB (58% reduction).
- Compressing https://disqus.com/api/3.0/forums/details?forum=kachatroom&attach=forumFeatures&api_key=E8Uh5I5fHZ6gD8U3KycjAlAk46f68Zw7C6eW8WSjZvCLXebZ7p0r1yrYDrLilk2F could save 1.6KiB (58% reduction).
- Compressing <https://live.rezync.com/pixel.html?c=4656c20ee35215f78e9273796625d90b&cid=c2alrtbj1g0n67q&pctry=US> could save 441B (53% reduction).
- Compressing <https://c.disquscdn.com/next/embed/assets/img/disqus-social-icon-light.db220ca78b54cb3f7deceb0ff1eaa2e8.svg> could save 199B (36% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://kachatroom.com/wp-content/uploads/2017/12/cropped-kitty-background.jpg> (expiration not specified)
- <http://cdn.viglink.com/images/pixel.gif?ch=1&rn=5.965479698032141> (15 seconds)
- <http://cdn.viglink.com/images/pixel.gif?ch=2&rn=5.965479698032141> (15 seconds)
- <https://disqus.com/next/config.js> (60 seconds)
- <https://kachatroom.disqus.com/embed.js> (60 seconds)
- https://connect.facebook.net/en_US/sdk.js (20 minutes)
- <https://apis.google.com/js/api.js> (30 minutes)
- https://accounts.google.com/o/oauth2/iframe?pc?action=checkOrigin&origin=https%3A%2F%2Fdisqus.com&client_id=508198334196-bgmagrg0a2rub674g0shidj8fnd50dji.apps.googleusercontent.com (60 minutes)

Reduce server response time

In our test, your server responded in 0.38 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.9KiB (45% reduction).

- Minifying <http://kachatroom.com/wp-content/themes/newp/style.css?ver=4.8.3> could save 2.3KiB (48% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-slider.css?ver=4.8.3> could save 338B (42% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/assets/css/nivo-dark/dark.css?ver=4.8.3> could save 201B (27% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 764B (17% reduction).

- Minifying <http://kachatroom.com/> could save 764B (17% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 787B (36% reduction).

- Minifying https://connect.facebook.net/en_US/sdk.js could save 670B (39% reduction) after compression.
- Minifying <http://kachatroom.com/wp-content/themes/newp/js/navigation.js?ver=20120206> could save 117B (27% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://kachatroom.com/wp-content/themes/newp/style.css?ver=4.8.3>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 39.9KiB (26% reduction).

- Compressing <http://kachatroom.com/wp-content/uploads/2017/12/cropped-kitty->

Desktop

background.jpg could save 21.5KiB (30% reduction).

- Compressing <https://uploads.disquscdn.com/images/ca6d8aed3187918fad2a3464d7d9ff758c5fe7e20ccf800fd9733a3e0acb0ca9.jpg?w=800&h=425> could save 17.8KiB (23% reduction).
- Compressing <https://c.disquscdn.com/uploads/users/29483/486/avatar92.jpg?1574822270> could save 339B (12% reduction).
- Compressing <https://a.disquscdn.com/1581704280/images/noavatar92.png> could save 306B (19% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).