


PageSpeed Insights

Mobile



67 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://link.ac/scripts/jquery-1.8.2.min.js>
- <https://link.ac/scripts/jquery.roundcorners.js>
- <https://link.ac/scripts/jquery.simplemodal.js>
- <https://link.ac/scripts/dp.js>

Mobile

- <https://link.ac/scripts/ZeroClipboard.js>
- https://link.ac/scripts/general_1.js?1584831975
- <https://link.ac/scripts/jquery.form.min.js>
- <https://a.contextbar.ru/n.js?rnd=54232>
- <https://a.contextbar.ru/jadqs.php?url=33337>

[Optimize CSS Delivery](#) of the following:

- <https://link.ac/styles/style.css>



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 23.3KiB (66% reduction).

- Compressing <https://sonar.semantiqo.com/c82up/checking.js> could save 12KiB (68% reduction).
- Compressing <https://tag.digitaltarget.ru/processor.js?i=194268938153982> could save 9.6KiB (66% reduction).
- Compressing <https://tag.digitaltarget.ru/adcm.js> could save 1.7KiB (58% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

Mobile

- http://reformat.ru/human_check/73841%7CaHR0cDovL2xpbmVv%7C%7C11350 (expiration not specified)
- <https://a.contextbar.ru/n.png> (expiration not specified)
- <https://tag.digitaltarget.ru/adcm.js> (expiration not specified)
- <https://www.google.com/recaptcha/api.js> (5 minutes)
- <https://www.google.com/recaptcha/api.js?onload=onloadCaptchaCallback&render=explicit&hl=6Lf9ezwUAAAAAE-ssHA1vCdlAcwNGwGLckWjSjVH> (5 minutes)
- <https://www.google.com/recaptcha/api2/webworker.js?hl=en&v=qpy2aGtSgsYPZzCoYWjcaB> (5 minutes)
- <http://w.uptolike.com/widgets/v1/uptolike.js> (30 minutes)
- <https://w.uptolike.com/static/buttons/fonts/icomoon.woff?qq11232333=1232131231321> (30 minutes)
- <https://w.uptolike.com/widgets/v1/widgetsModule.js?v=77067b93bc6214cddd2d7375412c98fe> (30 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://ad.mail.ru/cm.gif?p=48&id=0100007FE89D765E9B09F8700242FDE5> (6 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 512B (11% reduction).

- Minifying <https://link.ac/styles/style.css> could save 512B (11% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Mobile

[Minify HTML](#) for the following resources to reduce their size by 1.3KiB (17% reduction).

- Minifying <https://w.uptolike.com/widgets/v1/share-counter.html?77067b93bc6214cddd2d7375412c98fe> could save 734B (17% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp/support.html> could save 584B (16% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 15.8KiB (31% reduction).

- Minifying <https://link.ac/scripts/dp.js> could save 5.9KiB (39% reduction) after compression.
- Minifying <https://link.ac/scripts/jquery.simplemodal.js> could save 3.3KiB (55% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp.js?pid=lf9880b9ab35ceb42cf47883b61677d3eedadb61bd> could save 1.9KiB (18% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp.js?pid=1414457> could save 1.9KiB (18% reduction) after compression.
- Minifying <https://link.ac/scripts/ZeroClipboard.js> could save 1.3KiB (38% reduction) after compression.
- Minifying <https://link.ac/scripts/jquery.roundcorners.js> could save 1KiB (33% reduction) after compression.
- Minifying https://link.ac/scripts/general_1.js?1584831975 could save 551B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

[Optimize the following images](#) to reduce their size by 61.2KiB (65% reduction).

- Compressing <https://link.ac/images/konstryktor-saitov-300%D1%85250.jpg> could save 56.8KiB (69% reduction).
- Compressing <http://tab.reformal.ru/T9GC0LfRi9Cy0Ysg0Lgg0L%252FRgNC10LTQu9C%252B0LbQtdC90LjRjw==/FFFFFF/a08a7c60392f68cb33f77d4f56cf8c6f/right/1/tab.png> could save 3.1KiB (50% reduction).
- Compressing <https://link.ac/images/background.gif> could save 1.3KiB (30% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

56 / 100 User Experience



Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it

Mobile

would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,420 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `Регистрация` falls outside the viewport.
- The element `Вход` falls outside the viewport.
- The element `Забыли пароль?` falls outside the viewport.
- The element `API` falls outside the viewport.
- The element `Поддержка` falls outside the viewport.
- The element `<h2>Простой сокращ...асивых адресов</h2>` falls outside the viewport.
- The element `Настройки` falls outside the viewport.
- The element `сервис сокраще...а сократитель.` falls outside the viewport.
- The element `короткой ссылкой` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `Для зарегистри...ашим сервисом.` falls outside the viewport.
- The element `<center>Наши приложения:</center>` falls outside the viewport.
- The element `<center></center>` falls outside the viewport.
- The element `<center></center>` falls outside the viewport.
- The element `2` falls outside the viewport.
- The element `3` falls outside the viewport.

Mobile

- The element `4` falls outside the viewport.
- The element `5` falls outside the viewport.
- The element `6` falls outside the viewport.
- The element `7` falls outside the viewport.
- The element `8` falls outside the viewport.
- The element `9` falls outside the viewport.
- The element `10` falls outside the viewport.
- The element `<div id="footer">` falls outside the viewport.
- The element `` falls outside the viewport.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Моментальное р...ADVERTISING!!! renders only 8 pixels tall (20 CSS pixels) final.
- Добавить рекламу за renders only 5 pixels tall (12 CSS pixels) final.
- 0.5 \$ renders only 5 pixels tall (12 CSS pixels) final.
- Забыли пароль? and 4 others render only 6 pixels tall (15 CSS pixels).
- Простой сокращ...асивых адресов renders only 8 pixels tall (20 CSS pixels) final.
- Введите адрес...жно укоротить: renders only 5 pixels tall (13 CSS pixels) final.
- Укоротить renders only 6 pixels tall (15 CSS pixels) final.
- Настройки renders only 5 pixels tall (13 CSS pixels) final.
- Link.ac - renders only 6 pixels tall (16 CSS pixels) final.
- сервис сокраще...а сократитель. renders only 5 pixels tall (14 CSS pixels) final.
- ? Как поделить...ую. Сжатая или and 10 others render only 5 pixels tall (13 CSS pixels) final.

Mobile

- Для зарегистри...ер/ОС/Страна). and 7 others render only 5 pixels tall (14 CSS pixels) final.
- Наши приложения: renders only 6 pixels tall (16 CSS pixels) final.
- К нам приходят по запросам: renders only 5 pixels tall (13 CSS pixels) final.
- короткие ссылк...eate short url renders only 5 pixels tall (13 CSS pixels) final.
- 10 and 9 others render only 5 pixels tall (13 CSS pixels) final.
- © 2012-2020 Link.Ac renders only 5 pixels tall (13 CSS pixels) final.

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Настройки` is close to 1 other tap targets final.
- The tap target `1` and 9 others are close to other tap targets final.

1 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop



79 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 23.3KiB (66% reduction).

- Compressing <https://sonar.semantigo.com/c82up/checking.js> could save 12KiB (68% reduction).
- Compressing <https://tag.digitaltarget.ru/processor.js?i=194268938153982> could save 9.6KiB (66% reduction).
- Compressing <https://tag.digitaltarget.ru/adcm.js> could save 1.7KiB (58% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://reformal.ru/human_check/73841%7CaHR0cDovL2xpbmsuYWMv%7C%7C31794 (expiration not specified)

Desktop

- <https://a.contextbar.ru/n.png> (expiration not specified)
- <https://tag.digitaltarget.ru/adcm.js> (expiration not specified)
- <https://www.google.com/recaptcha/api.js> (5 minutes)
- <https://www.google.com/recaptcha/api.js?onload=onloadCaptchaCallback&render=explicit&hl=6Lf9ezwUAAAAAE-ssHA1vCdlAcwNGwGLckWjSJVH> (5 minutes)
- <https://www.google.com/recaptcha/api2/webworker.js?hl=en&v=qpy2aGtSgsYPZzCoYWjcaB> Co (5 minutes)
- <http://w.uptolike.com/widgets/v1/uptolike.js> (30 minutes)
- <https://w.uptolike.com/static/buttons/fonts/icomoon.woff?qq11232333=1232131231321> (30 minutes)
- <https://w.uptolike.com/widgets/v1/widgetsModule.js?v=77067b93bc6214cddd2d7375412c98fe> (30 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://ad.mail.ru/cm.gif?p=48&id=0100007FFD9D765E9609C770027C3375> (6 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 512B (11% reduction).

- Minifying <https://link.ac/styles/style.css> could save 512B (11% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Desktop](#)

[Minify HTML](#) for the following resources to reduce their size by 1.3KiB (17% reduction).

- Minifying <https://w.uptolike.com/widgets/v1/share-counter.html?77067b93bc6214cddd2d7375412c98fe> could save 734B (17% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp/support.html> could save 584B (16% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 15.8KiB (31% reduction).

- Minifying <https://link.ac/scripts/dp.js> could save 5.9KiB (39% reduction) after compression.
- Minifying <https://link.ac/scripts/jquery.simplemodal.js> could save 3.3KiB (55% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp.js?pid=lf9880b9ab35ceb42cf47883b61677d3eedadb61bd> could save 1.9KiB (18% reduction) after compression.
- Minifying <https://w.uptolike.com/widgets/v1/zp.js?pid=1414457> could save 1.9KiB (18% reduction) after compression.
- Minifying <https://link.ac/scripts/ZeroClipboard.js> could save 1.3KiB (38% reduction) after compression.
- Minifying <https://link.ac/scripts/jquery.roundcorners.js> could save 1KiB (33% reduction) after compression.
- Minifying https://link.ac/scripts/general_1.js?1584831996 could save 551B (24% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://link.ac/scripts/jquery-1.8.2.min.js>
- <https://link.ac/scripts/jquery.roundcorners.js>
- <https://link.ac/scripts/jquery.simplemodal.js>
- <https://link.ac/scripts/dp.js>
- <https://link.ac/scripts/ZeroClipboard.js>
- https://link.ac/scripts/general_1.js?1584831996
- <https://link.ac/scripts/jquery.form.min.js>
- <https://a.contextbar.ru/n.js?rnd=54232>
- <https://a.contextbar.ru/jadqs.php?url=33337>

[Optimize CSS Delivery](#) of the following:

- <https://link.ac/styles/style.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 61.2KiB (65% reduction).

- Compressing <https://link.ac/images/konstryktor-saitov-300%D1%85250.jpg> could save 56.8KiB (69% reduction).
- Compressing <http://tab.reformal.ru/T9GC0LfRi9Cy0Ysg0Lgg0L%252FRgNC10LTQu9C%252B0LbQtdC90LjRjw==/FFFFFF/a08a7c60392f68cb33f77d4f56cf8c6f/right/1/tab.png> could save 3.1KiB (50% reduction).
- Compressing <https://link.ac/images/background.gif> could save 1.3KiB (30% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).