


PageSpeed Insights

Mobile



67 / 100 Speed

 Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/g0z3md7d/i0bti.js>
- <https://osmotrosago.ru/js/jquery.maskedinput.js>
- <https://osmotrosago.ru/js/parallax.js>
- <https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js>

Mobile

- <https://widget.unitpay.ru/unitpay.js>
- <https://osmotrosago.ru/js/main.js>

[Optimize CSS Delivery](#) of the following:

- <https://osmotrosago.ru/wp-includes/css/dist/block-library/style.min.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-includes/css/dist/block-library/theme.min.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/plugins/contact-form-7/includes/css/styles.css@ver=5.1.6.css>
- <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/bootstrap.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/popup.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/themes/twentytwentyone/genericons/genericons.css@ver=3.4.1.css>
- <https://osmotrosago.ru/wp-content/themes/twentytwentyone/style.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/themes/twentytwentyone-child2/style.css@ver=2.0.1566927651.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/ng87sa/i0bti.css>
- <https://osmotrosago.ru/wp-content/uploads/elementor/css/post-75.css@ver=1579972247.css>
- <https://osmotrosago.ru/wp-content/uploads/elementor/css/post-179.css@ver=1580989579.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/dql4wank/i0bti.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/ehp5234t/i0bti.css>
- <https://osmotrosago.ru/css/form.min.css@lvcss=201810261218.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/8kx2gqhw/i0bti.css>

Consider Fixing:

Enable compression

Mobile

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 9.1KiB (67% reduction).

- Compressing <https://widget.unitpay.ru/unitpay.js> could save 9.1KiB (67% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 157B (16% reduction).

- Minifying <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/bootstrap.css@ver=5.3.2.css> could save 157B (16% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.5KiB (18% reduction).

- Minifying <https://osmotrosago.ru/> could save 3.5KiB (18% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 4.2KiB (23% reduction).

- Minifying <https://widget.unitpay.ru/unitpay.js> could save 3.2KiB (25% reduction).
- Minifying <https://osmotrosago.ru/js/parallax.js> could save 626B (20% reduction) after compression.
- Minifying <https://osmotrosago.ru/js/main.js> could save 336B (16% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 14.8KiB (32% reduction).

- Compressing <https://osmotrosago.ru/img/s1-a.png> could save 2.9KiB (39% reduction).
- Compressing <https://osmotrosago.ru/img/s3-s.png> could save 2.8KiB (37% reduction).
- Compressing <https://osmotrosago.ru/img/s2-s.png> could save 2.8KiB (38% reduction).
- Compressing <https://osmotrosago.ru/img/s4-s.png> could save 2.7KiB (37% reduction).
- Compressing <https://osmotrosago.ru/wp-content/uploads/2019/11/pays.jpg> could save 1.9KiB (23% reduction).
- Compressing https://osmotrosago.ru/files/t/to-rf/top-to.ru/files/img/biglogo_7932.png could save 733B (14% reduction).
- Compressing <https://osmotrosago.ru/img/logo.png> could save 625B (23% reduction).
- Compressing <https://osmotrosago.ru/shadoww.jpg> could save 376B (48% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

Mobile

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 42% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:23



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

91 / 100 User Experience



Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

Mobile

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<label for="order-vin">VIN</label>` and 11 others are close to other tap targets.
- The tap target `<input type="checkbox" class="is_vin_check">` and 3 others are close to other tap targets.
- The tap target `Далее` is close to 1 other tap targets.
- The tap target `<div id="elementor-tab-title-8581" class="elementor-tab-...e question-one">Какие документ...ия техосмотра?</div>` and 7 others are close to other tap targets.
- The tap target `Какие документ...ия техосмотра?` and 13 others are close to other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Mobile

Desktop



85 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/g0z3md7d/i0bti.js>
- <https://osmotrosago.ru/js/jquery.maskedinput.js>
- <https://osmotrosago.ru/js/parallax.js>
- <https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js>
- <https://widget.unitpay.ru/unitpay.js>
- <https://osmotrosago.ru/js/main.js>

[Optimize CSS Delivery](#) of the following:

Desktop

- <https://osmotrosago.ru/wp-includes/css/dist/block-library/style.min.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-includes/css/dist/block-library/theme.min.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/plugins/contact-form-7/includes/css/styles.css@ver=5.1.6.css>
- <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/bootstrap.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/popup.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/themes/twenty十六/genericons/genericons.css@ver=3.4.1.css>
- <https://osmotrosago.ru/wp-content/themes/twenty十六/style.css@ver=5.3.2.css>
- <https://osmotrosago.ru/wp-content/themes/twenty十六-child2/style.css@ver=2.0.1566927651.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/ng87sa/i0bti.css>
- <https://osmotrosago.ru/wp-content/uploads/elementor/css/post-75.css@ver=1579972247.css>
- <https://osmotrosago.ru/wp-content/uploads/elementor/css/post-179.css@ver=1580989579.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/dql4wank/i0bti.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/ehp5234t/i0bti.css>
- <https://osmotrosago.ru/css/form.min.css@lvcss=201810261218.css>
- <https://osmotrosago.ru/wp-content/cache/wpfc-minified/8kx2gqhw/i0bti.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 9.1KiB (67% reduction).

Desktop

- Compressing <https://widget.unitpay.ru/unitpay.js> could save 9.1KiB (67% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 157B (16% reduction).

- Minifying <https://osmotrosago.ru/wp-content/plugins/modal-for-elementor/css/bootstrap.css@ver=5.3.2.css> could save 157B (16% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.5KiB (18% reduction).

- Minifying <https://osmotrosago.ru/> could save 3.5KiB (18% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.2KiB (23% reduction).

- Minifying <https://widget.unitpay.ru/unitpay.js> could save 3.2KiB (25% reduction).
- Minifying <https://osmotrosago.ru/js/parallax.js> could save 626B (20% reduction) after

Desktop

compression.

- Minifying <https://osmotrosago.ru/js/main.js> could save 336B (16% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 14.8KiB (32% reduction).

- Compressing <https://osmotrosago.ru/img/s1-a.png> could save 2.9KiB (39% reduction).
- Compressing <https://osmotrosago.ru/img/s3-s.png> could save 2.8KiB (37% reduction).
- Compressing <https://osmotrosago.ru/img/s2-s.png> could save 2.8KiB (38% reduction).
- Compressing <https://osmotrosago.ru/img/s4-s.png> could save 2.7KiB (37% reduction).
- Compressing <https://osmotrosago.ru/wp-content/uploads/2019/11/pays.jpg> could save 1.9KiB (23% reduction).
- Compressing https://osmotrosago.ru/files/t/to-rf/top-to.ru/files/img/biglogo_7932.png could save 733B (14% reduction).
- Compressing <https://osmotrosago.ru/img/logo.png> could save 625B (23% reduction).
- Compressing <https://osmotrosago.ru/shadoww.jpg> could save 376B (48% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

Desktop

- Only about 22% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:23



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).