

PageSpeed Insights

Mobile



52 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 203.6KiB (74% reduction).

- Compressing <http://review.netguides.eu/css/bootstrap.min.css> could save 86.8KiB (83% reduction).
- Compressing <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js> could save 61.1KiB (65% reduction).
- Compressing <http://review.netguides.eu/js/bootstrap.min.js> could save 20.5KiB (73% reduction).
- Compressing <http://review.netguides.eu/css/bootstrap-responsive.min.css> could save 12.5KiB (76% reduction).

- Compressing <http://review.netguides.eu/> could save 11.5KiB (76% reduction).
- Compressing <http://review.netguides.eu/css/app.css> could save 5.2KiB (72% reduction).
- Compressing <http://review.netguides.eu/js/base.js> could save 3.4KiB (68% reduction).
- Compressing <http://review.netguides.eu/js/cookieconsent.latest.min.js> could save 2.5KiB (57% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js> (expiration not specified)
- <http://review.netguides.eu/css/app.css> (expiration not specified)
- <http://review.netguides.eu/css/bootstrap-responsive.min.css> (expiration not specified)
- <http://review.netguides.eu/css/bootstrap.min.css> (expiration not specified)
- <http://review.netguides.eu/img/advice.png> (expiration not specified)
- <http://review.netguides.eu/img/content.png> (expiration not specified)
- <http://review.netguides.eu/img/link.png> (expiration not specified)
- <http://review.netguides.eu/img/loader.gif> (expiration not specified)
- <http://review.netguides.eu/img/review.png> (expiration not specified)
- <http://review.netguides.eu/img/speed.png> (expiration not specified)
- <http://review.netguides.eu/img/tags.png> (expiration not specified)
- <http://review.netguides.eu/js/base.js> (expiration not specified)
- <http://review.netguides.eu/js/bootstrap.min.js> (expiration not specified)
- <http://review.netguides.eu/js/cookieconsent.latest.min.js> (expiration not specified)
- http://www.united-newsserver.de/superclix/uns_468_060.gif (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

- <https://pagead2.googlesyndication.com/pagead/js/lidar.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <https://z.moatads.com/essencedigitalemea2015301593033067/moatad.js> (5.2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js>
- <http://review.netguides.eu/js/bootstrap.min.js>
- <http://review.netguides.eu/js/base.js>
- <https://clix.superclix.de/multi.php?id=wetwetwet&typ=standard&weite=468&hoehe=60>
- <http://review.netguides.eu/js/cookieconsent.latest.min.js>

[Optimize CSS Delivery](#) of the following:

- <http://review.netguides.eu/css/bootstrap.min.css>
- <http://review.netguides.eu/css/bootstrap-responsive.min.css>
- <http://review.netguides.eu/css/app.css>



Consider Fixing:

Minify CSS

Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.6KiB (22% reduction).

- Minifying <http://review.netguides.eu/css/app.css> could save 1.6KiB (22% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.2KiB (21% reduction).

- Minifying <http://review.netguides.eu/> could save 3.2KiB (21% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (42% reduction).

- Minifying <http://review.netguides.eu/js/base.js> could save 2.1KiB (42% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 5.5KiB (13% reduction).

Mobile

- Compressing <http://free4.pagepeeker.com/v2/thumbs.php?size=m&url=faceboox.eu> could save 1.3KiB (14% reduction).
- Compressing <http://free3.pagepeeker.com/v2/thumbs.php?size=m&url=seo.netguides.eu> could save 1.2KiB (14% reduction).
- Compressing <http://free.pagepeeker.com/v2/thumbs.php?size=m&url=netguides.eu> could save 1.2KiB (13% reduction).
- Compressing <http://free2.pagepeeker.com/v2/thumbs.php?size=m&url=stage.netguides.eu> could save 1.1KiB (11% reduction).
- Compressing <http://free.pagepeeker.com/v2/thumbs.php?size=m&url=review.netguides.eu> could save 734B (13% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 11% of the final above-the-fold content could be rendered with the full HTML response snapshot:9.



1 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

99 / 100 User Experience



Mobile

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div id="abgc" class="abgc">AdChoices</div>` is close to 2 other tap targets final.
- The tap target `SITE Advanced WebFactories` is close to 1 other tap targets.
- The tap target `Limo Service New Jersey` is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Mobile

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



70 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 203.6KiB (74% reduction).

- Compressing <http://review.netguides.eu/css/bootstrap.min.css> could save 86.8KiB (83% reduction).
- Compressing <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js> could save 61.1KiB (65% reduction).
- Compressing <http://review.netguides.eu/js/bootstrap.min.js> could save 20.5KiB (73% reduction).
- Compressing <http://review.netguides.eu/css/bootstrap-responsive.min.css> could save 12.5KiB (76% reduction).
- Compressing <http://review.netguides.eu/> could save 11.5KiB (76% reduction).

- Compressing <http://review.netguides.eu/css/app.css> could save 5.2KiB (72% reduction).
- Compressing <http://review.netguides.eu/js/base.js> could save 3.4KiB (68% reduction).
- Compressing <http://review.netguides.eu/js/cookieconsent.latest.min.js> could save 2.5KiB (57% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js>
- <http://review.netguides.eu/js/bootstrap.min.js>
- <http://review.netguides.eu/js/base.js>
- <https://clix.superclix.de/multi.php?id=wetwetwet&typ=standard&weite=468&hoehe=60>
- <http://review.netguides.eu/js/cookieconsent.latest.min.js>

[Optimize CSS Delivery](#) of the following:

- <http://review.netguides.eu/css/bootstrap.min.css>
- <http://review.netguides.eu/css/bootstrap-responsive.min.css>
- <http://review.netguides.eu/css/app.css>



Consider Fixing:

Desktop

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://review.netguides.eu/assets/c43f0cbe/jquery.min.js> (expiration not specified)
- <http://review.netguides.eu/css/app.css> (expiration not specified)
- <http://review.netguides.eu/css/bootstrap-responsive.min.css> (expiration not specified)
- <http://review.netguides.eu/css/bootstrap.min.css> (expiration not specified)
- <http://review.netguides.eu/img/advice.png> (expiration not specified)
- <http://review.netguides.eu/img/content.png> (expiration not specified)
- <http://review.netguides.eu/img/link.png> (expiration not specified)
- <http://review.netguides.eu/img/loader.gif> (expiration not specified)
- <http://review.netguides.eu/img/review.png> (expiration not specified)
- <http://review.netguides.eu/img/speed.png> (expiration not specified)
- <http://review.netguides.eu/img/tags.png> (expiration not specified)
- <http://review.netguides.eu/js/base.js> (expiration not specified)
- <http://review.netguides.eu/js/bootstrap.min.js> (expiration not specified)
- <http://review.netguides.eu/js/cookieconsent.latest.min.js> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.6KiB (22% reduction).

Desktop

- Minifying <http://review.netguides.eu/css/app.css> could save 1.6KiB (22% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.2KiB (21% reduction).

- Minifying <http://review.netguides.eu/> could save 3.2KiB (21% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (42% reduction).

- Minifying <http://review.netguides.eu/js/base.js> could save 2.1KiB (42% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 23KiB (23% reduction).

- Compressing <https://tpc.googlesyndication.com/simgad/7375081410300694670> could save 14.7KiB (34% reduction).
- Compressing https://www.schmuck-juweliere.de/images/superc/sc_468_60_s.jpg could save 2.7KiB (21% reduction).

Desktop

- Compressing <http://free4.pagepeeker.com/v2/thumbs.php?size=m&url=faceboox.eu> could save 1.3KiB (14% reduction).
- Compressing <http://free3.pagepeeker.com/v2/thumbs.php?size=m&url=seo.netguides.eu> could save 1.2KiB (14% reduction).
- Compressing <http://free.pagepeeker.com/v2/thumbs.php?size=m&url=netguides.eu> could save 1.2KiB (13% reduction).
- Compressing <http://free2.pagepeeker.com/v2/thumbs.php?size=m&url=stage.netguides.eu> could save 1.1KiB (11% reduction).
- Compressing <http://free.pagepeeker.com/v2/thumbs.php?size=m&url=review.netguides.eu> could save 734B (13% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 11% of the final above-the-fold content could be rendered with the full HTML response snapshot:9.



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Desktop

Your server responded quickly. Learn more about [server response time optimization](#).