

Mobile

РГС ОСАГО



Купить ОСАГО онлайн через Росгосстрах

В 2020 году Вы можете оформить полис ОСАГО онлайн через «Росгосстрах». Покупку в режиме online могут совершить все автовладельцы из Москвы, Санкт-Петербурга и других регионов России.

Присылаемый на e-mail документ приравнивается к традиционному бумажному полису ОСАГО.

Купить ОСАГО →

58 / 100 Speed

 Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://cpa.insursale.ru/scripts/ahjh0f3> (expiration not specified)
- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_4a826b75495ec73c68530fa34a900b43.css (expiration not specified)
- https://rgs-osago.ru/wp-content/cache/autoptimize/js/autoptimize_e559331c619ec755c3e0c6f005adf685.js (expiration not specified)
- <https://rgs-osago.ru/wp-content/themes/pb/img/geo.svg> (expiration not specified)

Mobile

- <https://rgs-osago.ru/wp-content/themes/pb/js/geo.js> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/andrey.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/doubt.png> (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.1-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.2-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.3-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.4-75x75.png (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/kirill.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/logo.png> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/nataliya.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/osago-onlayn-cherez-rosgosstrah.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/rasschitat-kbm.jpg> (expiration not specified)
- https://suggestions.dadata.ru/suggestions/api/4_1/rs/iplocate/address (expiration not specified)
- <https://static.hotjar.com/c/hotjar-1416899.js?sv=6> (60 seconds)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Mobile

[Remove render-blocking JavaScript:](#)

- <https://code.jquery.com/jquery-3.3.1.min.js?ver=5.3.2>
- <https://rgs-osago.ru/wp-content/themes/pb/js/geo.js>

[Optimize CSS Delivery](#) of the following:

- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_4a826b75495ec73c68530fa34a900b43.css
- <https://fonts.googleapis.com/css?family=Noto+Sans%3A400%2C700&subset=cyrillic&display=swap&ver=5.3.2>
- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_single_1d7a65381e54fb3d12c7eca1e53d9872.css?ver=1583853245
- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_single_66c6bae8fe42f10b29f3429710fce79b.css?ver=1583853245
- <https://fonts.googleapis.com/css?family=IBM+Plex+Serif%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic%7CRoboto%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic%7CMonserrat%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic&subset=cyrillic&ver=5.3.2>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 110KiB (58% reduction).

- Compressing and resizing <https://rgs-osago.ru/wp-content/uploads/2020/01/andrey.jpg> could save 53.2KiB (97% reduction).
- Compressing and resizing <https://rgs-osago.ru/wp-content/uploads/2020/01/kirill.jpg> could save 40KiB (96% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/raschitat-kbm.jpg> could save 8.3KiB (20% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/osago-onlayn-cherez-rosgosstrah.jpg> could save 7.2KiB (18% reduction).

Mobile

- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/nataliya.jpg> could save 1.1KiB (18% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/logo.png> could save 207B (17% reduction).



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 24.3KiB (77% reduction).

- Compressing <https://cpa.insursale.ru/scripts/ahjh0f3> could save 24.3KiB (77% reduction).

Reduce server response time

In our test, your server responded in 0.87 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1KiB (18% reduction).

Mobile

- Minifying <https://osago.red/iframeResizer.contentWindow.custom.js> could save 921B (17% reduction) after compression.
- Minifying <https://rgs-osago.ru/wp-content/themes/pb/js/skip-link-focus-fix.js?ver=20151215> could save 139B (34% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

100 / 100 User Experience



5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many

Mobile

platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).


Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



74 / 100 Speed

Desktop

Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 113.6KiB (60% reduction).

- Compressing and resizing <https://rgs-osago.ru/wp-content/uploads/2020/01/andrey.jpg> could save 53.2KiB (97% reduction).
- Compressing and resizing <https://rgs-osago.ru/wp-content/uploads/2020/01/kirill.jpg> could save 40KiB (96% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/rasschitat-kbm.jpg> could save 8.3KiB (20% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/osago-onlayn-cherez-rosgosstrah.jpg> could save 7.2KiB (18% reduction).
- Compressing and resizing <https://rgs-osago.ru/wp-content/uploads/2020/01/nataliya.jpg> could save 4.8KiB (76% reduction).
- Compressing <https://rgs-osago.ru/wp-content/uploads/2020/01/logo.png> could save 207B (17% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 24.3KiB (77% reduction).

- Compressing <https://cpa.insursale.ru/scripts/ahjh0f3> could save 24.3KiB (77% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://cpa.insursale.ru/scripts/ahjh0f3> (expiration not specified)
- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_4a826b75495ec73c68530fa34a900b43.css (expiration not specified)
- https://rgs-osago.ru/wp-content/cache/autoptimize/js/autoptimize_e559331c619ec755c3e0c6f005adf685.js (expiration not specified)
- <https://rgs-osago.ru/wp-content/themes/pb/img/geo.svg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/themes/pb/js/geo.js> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/andrey.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/doubt.png> (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.1-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.2-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.3-75x75.png (expiration not specified)
- https://rgs-osago.ru/wp-content/uploads/2020/01/icon-g_s.4-75x75.png (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/kirill.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/logo.png> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/nataliya.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/osago-onlayn-cherez-rosgosstrah.jpg> (expiration not specified)
- <https://rgs-osago.ru/wp-content/uploads/2020/01/rasschitat-kbm.jpg> (expiration not specified)
- https://suggestions.dadata.ru/suggestions/api/4_1/rs/iplocate/address (expiration not specified)

Desktop

specified)

- <https://static.hotjar.com/c/hotjar-1416899.js?sv=6> (60 seconds)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)

Reduce server response time

In our test, your server responded in 0.78 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1KiB (18% reduction).

- Minifying <https://osago.red/iframeResizer.contentWindow.custom.js> could save 921B (17% reduction) after compression.
- Minifying <https://rgs-osago.ru/wp-content/themes/pb/js/skip-link-focus-fix.js?ver=20151215> could save 139B (34% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- https://rgs-osago.ru/wp-content/cache/autoptimize/css/autoptimize_4a826b75495ec73c68530fa34a900b43.css



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).