


PageSpeed Insights

Mobile



Агентство интернет-маркетинга «Сегол»

Добро пожаловать на наш сайт. Мы старались сделать его удобным для пользования, с целью помочь вам определиться с выбором действительно необходимых услуг для продвижения вашего сайта. Ниже вы увидите кнопки, нажав на которые вы попадете именно в тот раздел сайта, который вам нужен. Кнопки выбора:



61 / 100 Speed

 Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://segol.ru/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://segol.ru/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://segol.ru/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.8.1>
- <https://segol.ru/wp->

Mobile

content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.8.1

- <https://segol.ru/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.6-78496d1>
- <https://segol.ru/wp-includes/js/mediaelement/mediaelement-migrate.min.js?ver=5.1.4>

[Optimize CSS Delivery](#) of the following:

- <https://segol.ru/wp-content/themes/nuovowp/style.css?ver=5.1.4>
- <https://segol.ru/wp-includes/css/dist/block-library/style.min.css?ver=5.1.4>
- <https://segol.ru/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.1.3>
- <https://segol.ru/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.8.1>
- <https://segol.ru/wp-includes/js/mediaelement/mediaelementplayer-legacy.min.css?ver=4.2.6-78496d1>
- <https://segol.ru/wp-includes/js/mediaelement/wp-mediaelement.min.css?ver=5.1.4>
- <https://segol.ru/wp-content/themes/nuovowp/assets/fonts/elegant-icons/style.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/fonts/themify-icons/themify-icons.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/css/bootstrap.min.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/css/nuovo.css?ver=1.2>
- https://segol.ru/wp-content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.6
- <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/ubermenu.min.css?ver=3.4.0.1>
- <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/skins/fire.css?ver=5.1.4>
- <https://segol.ru/wp-content/plugins/ubermenu/assets/fontawesome/fonts/css/fontawesome-all.min.css?ver=5.1.4>
- <https://fonts.googleapis.com/css?family=Rubik%3A300%2C400%2C500%2C700%2C900%2C300italic%2C400italic%2C500italic%2C700italic%2C900italic%7CPoppins%3A500&ver=1578577960>

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

[Optimize the following images](#) to reduce their size by 166.3KiB (77% reduction).

- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_lovedance.jpg could save 35.5KiB (83% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_manngroup.jpg could save 21.1KiB (86% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_estyle.png could save 18.9KiB (83% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_2.png could save 18.8KiB (72% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_teamo.png could save 18.6KiB (76% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_lebord.png could save 18.4KiB (79% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_starforce.png could save 17.2KiB (57% reduction).
- Compressing <https://segol.ru/wp-content/uploads/2019/07/zakonoborec.jpg> could save 15.9KiB (84% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/06/vivon_logo.jpg could save 2KiB (43% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-145012989-1> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/2352736258326545?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)

Mobile

- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.44 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 7.1KiB (17% reduction).

- Minifying <https://segol.ru/wp-content/themes/nuovowp/assets/css/nuovo.css?ver=1.2> could save 4.3KiB (15% reduction) after compression.
- Minifying <https://segol.ru/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.8.1> could save 2.3KiB (26% reduction) after compression.
- Minifying <https://segol.ru/wp-content/themes/nuovowp/style.css?ver=5.1.4> could save 266B (93% reduction) after compression.
- Minifying <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/skins/fire.css?ver=5.1.4> could save 125B (11% reduction) after compression.

Minify JavaScript

Mobile

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 653B (17% reduction).

- Minifying <https://segol.ru/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.1.3> could save 653B (17% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience



Consider Fixing:

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `г. Москва, Каш...се 80, офис 10` and 1 others are close to other tap targets final.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



70 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 15 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://segol.ru/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://segol.ru/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://segol.ru/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.8.1>
- <https://segol.ru/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.8.1>
- <https://segol.ru/wp-includes/js/mediaelement/mediaelement-and-player.min.js?ver=4.2.6-78496d1>
- <https://segol.ru/wp-includes/js/mediaelement/mediaelement-migrate.min.js?ver=5.1.4>

[Optimize CSS Delivery](#) of the following:

- <https://segol.ru/wp-content/themes/nuovowp/style.css?ver=5.1.4>
- <https://segol.ru/wp-includes/css/dist/block-library/style.min.css?ver=5.1.4>

Desktop

- <https://segol.ru/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.1.3>
- <https://segol.ru/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.8.1>
- <https://segol.ru/wp-includes/js/mediaelement/mediaelementplayer-legacy.min.css?ver=4.2.6-78496d1>
- <https://segol.ru/wp-includes/js/mediaelement/wp-mediaelement.min.css?ver=5.1.4>
- <https://segol.ru/wp-content/themes/nuovowp/assets/fonts/elegant-icons/style.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/fonts/themify-icons/themify-icons.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/css/bootstrap.min.css>
- <https://segol.ru/wp-content/themes/nuovowp/assets/css/nuovo.css?ver=1.2>
- https://segol.ru/wp-content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.6
- <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/ubermenu.min.css?ver=3.4.0.1>
- <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/skins/fire.css?ver=5.1.4>
- <https://segol.ru/wp-content/plugins/ubermenu/assets/fontawesome/fonts/css/fontawesome-all.min.css?ver=5.1.4>
- <https://fonts.googleapis.com/css?family=Rubik%3A300%2C400%2C500%2C700%2C900%2C300italic%2C400italic%2C500italic%2C700italic%2C900italic%7CPoppins%3A500&ver=1578577960>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 199KiB (56% reduction).

- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_lovedance.jpg could save 35.5KiB (83% reduction).
- Compressing and resizing https://segol.ru/wp-content/uploads/2019/09/prev_video.png could save 32.6KiB (24% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_manngroup.jpg could save 21.1KiB (86% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_estyle.png could save 18.9KiB (83% reduction).

Desktop

- Compressing https://segol.ru/wp-content/uploads/2019/06/logo_2.png could save 18.8KiB (72% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_teamo.png could save 18.6KiB (76% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_lebord.png could save 18.4KiB (79% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/07/logo_starforce.png could save 17.2KiB (57% reduction).
- Compressing <https://segol.ru/wp-content/uploads/2019/07/zakonoborec.jpg> could save 15.9KiB (84% reduction).
- Compressing https://segol.ru/wp-content/uploads/2019/06/vivon_logo.jpg could save 2KiB (43% reduction).



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-145012989-1> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/2352736258326545?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Desktop

Reduce server response time

In our test, your server responded in 0.59 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 7.1KiB (17% reduction).

- Minifying <https://segol.ru/wp-content/themes/nuovowp/assets/css/nuovo.css?ver=1.2> could save 4.3KiB (15% reduction) after compression.
- Minifying <https://segol.ru/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.8.1> could save 2.3KiB (26% reduction) after compression.
- Minifying <https://segol.ru/wp-content/themes/nuovowp/style.css?ver=5.1.4> could save 266B (93% reduction) after compression.
- Minifying <https://segol.ru/wp-content/plugins/ubermenu/pro/assets/css/skins/fire.css?ver=5.1.4> could save 125B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 653B (17% reduction).

- Minifying <https://segol.ru/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.1.3> could save 653B (17% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).