


PageSpeed Insights

Mobile



Свадебный стилист

Какой ты хочешь быть невестой? Опиши 5 прилагательных, которые помогут создать свадебный образ твоей мечты!



20 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://tgrig.ru/css/font-awesome.min.css> (expiration not specified)
- <http://tgrig.ru/css/style-large.css> (expiration not specified)
- <http://tgrig.ru/css/style-medium.css> (expiration not specified)
- <http://tgrig.ru/css/style-small.css> (expiration not specified)
- <http://tgrig.ru/css/style-xlarge.css> (expiration not specified)
- <http://tgrig.ru/css/style-xsmall.css> (expiration not specified)

Mobile

- <http://tgrig.ru/css/style.css> (expiration not specified)
- <http://tgrig.ru/images/avatar.jpg> (expiration not specified)
- <http://tgrig.ru/images/banner.jpg> (expiration not specified)
- <http://tgrig.ru/images/bogema.jpg> (expiration not specified)
- <http://tgrig.ru/images/classik.jpg> (expiration not specified)
- <http://tgrig.ru/images/krasotka.jpg> (expiration not specified)
- <http://tgrig.ru/images/nimfa.jpg> (expiration not specified)
- <http://tgrig.ru/images/princessa.jpg> (expiration not specified)
- <http://tgrig.ru/images/romanyic.jpg> (expiration not specified)
- <http://tgrig.ru/images/skromnost.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-2.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-3.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-4.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-r1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-r2.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-s1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-s2.jpg> (expiration not specified)
- <http://tgrig.ru/images/vintag.jpg> (expiration not specified)
- <http://tgrig.ru/js/init.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.min.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.scrollly.min.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.scrollzer.min.js> (expiration not specified)
- <http://tgrig.ru/js/skel-layers.min.js> (expiration not specified)
- <http://tgrig.ru/js/skel.min.js> (expiration not specified)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript](#):

- <http://tgrig.ru/js/jquery.min.js>
- <http://tgrig.ru/js/jquery.scrollzer.min.js>
- <http://tgrig.ru/js/jquery.scrollly.min.js>
- <http://tgrig.ru/js/skel.min.js>
- <http://tgrig.ru/js/skel-layers.min.js>
- <http://tgrig.ru/js/init.js>

[Optimize CSS Delivery](#) of the following:

- <http://tgrig.ru/css/style.css>
- <http://tgrig.ru/css/style-xlarge.css>
- <http://tgrig.ru/css/style-large.css>
- <http://tgrig.ru/css/style-medium.css>
- <http://tgrig.ru/css/style-small.css>
- <http://tgrig.ru/css/style-xsmall.css>
- <http://tgrig.ru/css/font-awesome.min.css>
- <http://fonts.googleapis.com/css?family=Lato:400,400italic,700,700italic|Source+Code+Pro:400>

Optimize images

Mobile

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.5MiB (71% reduction).

- Compressing and resizing <http://tgrig.ru/images/tgrig-s1.jpg> could save 360KiB (99% reduction).
- Compressing and resizing <http://tgrig.ru/images/tgrig-4.jpg> could save 359.1KiB (98% reduction).
- Compressing and resizing <http://tgrig.ru/images/tgrig-r2.jpg> could save 332.1KiB (98% reduction).
- Compressing <http://tgrig.ru/images/tgrig-r1.jpg> could save 306KiB (70% reduction).
- Compressing <http://tgrig.ru/images/tgrig-s2.jpg> could save 292.4KiB (66% reduction).
- Compressing <http://tgrig.ru/images/tgrig-2.jpg> could save 289.4KiB (60% reduction).
- Compressing <http://tgrig.ru/images/tgrig-3.jpg> could save 285.8KiB (77% reduction).
- Compressing <http://tgrig.ru/images/nimfa.jpg> could save 133.2KiB (64% reduction).
- Compressing <http://tgrig.ru/images/classik.jpg> could save 115.5KiB (62% reduction).
- Compressing <http://tgrig.ru/images/banner.jpg> could save 31.6KiB (17% reduction).
- Compressing <http://tgrig.ru/images/romanyic.jpg> could save 26KiB (28% reduction).
- Compressing <http://tgrig.ru/images/avatar.jpg> could save 25.6KiB (36% reduction).
- Compressing <http://tgrig.ru/images/princessa.jpg> could save 13.1KiB (19% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.5KiB (25% reduction).

- Minifying <http://tgrig.ru/css/style.css> could save 663B (18% reduction) after compression.
- Minifying <http://tgrig.ru/css/style-medium.css> could save 218B (30% reduction) after

Mobile

compression.

- Minifying <http://tgrig.ru/css/style-small.css> could save 212B (34% reduction) after compression.
- Minifying <http://tgrig.ru/css/style-xsmall.css> could save 163B (37% reduction) after compression.
- Minifying <http://tgrig.ru/css/style-xlarge.css> could save 141B (48% reduction) after compression.
- Minifying <http://tgrig.ru/css/style-large.css> could save 131B (55% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.6KiB (15% reduction).

- Minifying <http://tgrig.ru/js/skel.min.js> could save 1.1KiB (13% reduction) after compression.
- Minifying <http://tgrig.ru/js/init.js> could save 457B (24% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 63% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:12](#)

Mobile

4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

100 / 100 User Experience

5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Mobile

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).


Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



25 / 100 Speed

! Should Fix:

Leverage browser caching

Desktop

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://tgrig.ru/css/font-awesome.min.css> (expiration not specified)
- <http://tgrig.ru/css/style-xlarge.css> (expiration not specified)
- <http://tgrig.ru/css/style.css> (expiration not specified)
- <http://tgrig.ru/images/avatar.jpg> (expiration not specified)
- <http://tgrig.ru/images/banner.jpg> (expiration not specified)
- <http://tgrig.ru/images/bogema.jpg> (expiration not specified)
- <http://tgrig.ru/images/classik.jpg> (expiration not specified)
- <http://tgrig.ru/images/krasotka.jpg> (expiration not specified)
- <http://tgrig.ru/images/nimfa.jpg> (expiration not specified)
- <http://tgrig.ru/images/princessa.jpg> (expiration not specified)
- <http://tgrig.ru/images/romanyic.jpg> (expiration not specified)
- <http://tgrig.ru/images/skromnost.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-2.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-3.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-4.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-r1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-r2.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-s1.jpg> (expiration not specified)
- <http://tgrig.ru/images/tgrig-s2.jpg> (expiration not specified)
- <http://tgrig.ru/images/vintag.jpg> (expiration not specified)
- <http://tgrig.ru/js/init.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.min.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.scrollly.min.js> (expiration not specified)
- <http://tgrig.ru/js/jquery.scrollzer.min.js> (expiration not specified)

Desktop

- <http://tgrig.ru/js/skel-layers.min.js> (expiration not specified)
- <http://tgrig.ru/js/skel.min.js> (expiration not specified)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://tgrig.ru/js/jquery.min.js>
- <http://tgrig.ru/js/jquery.scrollzer.min.js>
- <http://tgrig.ru/js/jquery.scrollly.min.js>
- <http://tgrig.ru/js/skel.min.js>
- <http://tgrig.ru/js/skel-layers.min.js>
- <http://tgrig.ru/js/init.js>

[Optimize CSS Delivery](#) of the following:

- <http://tgrig.ru/css/style.css>
- <http://tgrig.ru/css/style-xlarge.css>
- <http://tgrig.ru/css/font-awesome.min.css>
- <http://fonts.googleapis.com/css?family=Lato:400,400italic,700,700italic|Source+Code+Pro:400>

Desktop

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2.5MiB (71% reduction).

- Compressing and resizing <http://tgrig.ru/images/tgrig-s1.jpg> could save 352.6KiB (97% reduction).
- Compressing and resizing <http://tgrig.ru/images/tgrig-4.jpg> could save 342.8KiB (93% reduction).
- Compressing and resizing <http://tgrig.ru/images/tgrig-r2.jpg> could save 318KiB (94% reduction).
- Compressing <http://tgrig.ru/images/tgrig-r1.jpg> could save 306KiB (70% reduction).
- Compressing <http://tgrig.ru/images/tgrig-s2.jpg> could save 292.4KiB (66% reduction).
- Compressing <http://tgrig.ru/images/tgrig-2.jpg> could save 289.4KiB (60% reduction).
- Compressing <http://tgrig.ru/images/tgrig-3.jpg> could save 285.8KiB (77% reduction).
- Compressing <http://tgrig.ru/images/nimfa.jpg> could save 133.2KiB (64% reduction).
- Compressing <http://tgrig.ru/images/classik.jpg> could save 115.5KiB (62% reduction).
- Compressing and resizing <http://tgrig.ru/images/avatar.jpg> could save 67KiB (92% reduction).
- Compressing <http://tgrig.ru/images/banner.jpg> could save 31.6KiB (17% reduction).
- Compressing <http://tgrig.ru/images/romanyic.jpg> could save 26KiB (28% reduction).
- Compressing <http://tgrig.ru/images/princessa.jpg> could save 13.1KiB (19% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Desktop](#)

[Minify CSS](#) for the following resources to reduce their size by 804B (20% reduction).

- Minifying <http://tgrig.ru/css/style.css> could save 663B (18% reduction) after compression.
- Minifying <http://tgrig.ru/css/style-xlarge.css> could save 141B (48% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.6KiB (15% reduction).

- Minifying <http://tgrig.ru/js/skel.min.js> could save 1.1KiB (13% reduction) after compression.
- Minifying <http://tgrig.ru/js/init.js> could save 457B (24% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 68% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:8



4 Passed Rules

Desktop

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).