PageSpeed Insights

Mobile



44 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

Avoid landing page redirects for the following chain of redirected URLs.

- http://thuisbezorgd.nl/
- https://thuisbezorgd.nl/
- https://www.thuisbezorgd.nl/

Enable compression

Mobile

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 385.5KiB (72% reduction).

- Compressing https://static.xx.fbcdn.net/rsrc.php/v3i2tE4/yH/I/nl_NL/cpVPm_rBILj.js could save 359.1KiB (72% reduction).
- Compressing https://staticxx.facebook.com/connect/xd_arbiter/r/afATJJjxKE6.js?version=43 could save 26.5KiB (68% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 8 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://maps.googleapis.com/maps/api/js?v=3&client=gme-takeawaycomnv&channel=web-thuisbezorgdnl&libraries=places&language=nl&796454
- https://www.thuisbezorgd.nl/assets/js/vendor.js?796454
- https://www.thuisbezorgd.nl/assets/js/app.js?796454
- https://www.thuisbezorgd.nl/assets/js/takeaway.js?796454
- https://cdn.optimizely.com/js/2332090555.js
- https://connect.facebook.net/nl_NL/sdk.js
- https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.sync.js
- https://www.thuisbezorgd.nl/scripts/autoload.js?796454

Optimize CSS Delivery of the following:

- https://www.thuisbezorgd.nl/assets/css/takeaway.css?796454
- https://fonts.googleapis.com/css?family=Open+Sans:400,600,700&subset=cyrillic,vietname se



Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://www.thuisbezorgd.nl/xHttp/get-server-time (expiration not specified)
- https://cdn.optimizely.com/js/2332090555.js (2 minutes)
- https://tags.tigcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.js (5 minutes)
- https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.sync.js (5 minutes)
- https://tags.tiqcdn.com/utag/tiqapp/utag.v.js?a=takeaway/thuisbezorgd.nl/201811231621&c b=1543070065816 (10 minutes)
- https://www.googletagmanager.com/gtag/js?id=DC-4952451 (15 minutes)
- https://connect.facebook.net/nl_NL/sdk.js (20 minutes)
- https://bat.bing.com/bat.js (30 minutes)
- https://maps.googleapis.com/maps/api/js?v=3&client=gme-takeawaycomnv&channel=web-thuisbezorgdnl&libraries=places&language=nl&796454 (30 minutes)
- https://www.google-analytics.com/plugins/ua/ec.js (60 minutes)
- https://www.googleadservices.com/pagead/conversion_async.js (60 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 646B (29% reduction).

- Minifying https://www.thuisbezorgd.nl/scripts/autoload.js?796454 could save 537B (26% reduction) after compression.
- Minifying https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.sync.js could save 109B (100% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 27.8KiB (23% reduction).

• Compressing https://www.thuisbezorgd.nl/campaign/winter/img/Mob_pizza.jpg could save 27.8KiB (23% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 32% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:10



Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

95 / 100 User Experience

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. <u>Size the page content to the viewport</u> to provide a better user experience.

The page content is 430 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

• The element Mijn account falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target <html class="localstorage touch">Eten bestellen...e. [Sluiten]</html> and 1 others are close to other tap targets final.
- The tap target <html class="localstorage touch">Eten bestellen...e. [Sluiten]</html> and 1 others are close to other tap targets final.
- The tap target BEKIJKEN is close to 1 other tap targets final.
- The tap target <button class="menu button-my...ount userlogin">Mijn account</button> is close to 1 other tap targets final.
- The tap target <button class="menu button-my...ount userlogin">Mijn account</button> is close to 1 other tap targets final.
- The tap target <div id="u 0 1">Vind ik leuk</div> is close to 1 other tap targets.
- The tap target <button type="submit" class="inlineBlock _2tga _49ve">Vind ik leuk</button> is close to 1 other tap targets.
- The tap target Registreren is close to 1 other tap targets.
- The tap target is close to 1 other tap targets.
- The tap target and 1 others are close to other tap targets.
- The tap target Restaurant aanbevelen and 6 others are close to other tap targets.
- The tap target Restaurant aanbevelen and 8 others are close to other tap targets.



3 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

Mobile

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



56 / 100 Speed



Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 520.9KiB (71% reduction).

- Compressing https://static.xx.fbcdn.net/rsrc.php/v3i2tE4/yH/I/nl_NL/cpVPm_rBILj.js could save 359.1KiB (72% reduction).
- Compressing https://connect.facebook.net/nl_NL/sdk.js could save 135.3KiB (69% reduction).

Compressing https://staticxx.facebook.com/connect/xd_arbiter/r/afATJJjxKE6.js?version=43 could save 26.5KiB (68% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 8 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://maps.googleapis.com/maps/api/js?v=3&client=gme-takeawaycomnv&channel=web-thuisbezorgdnl&libraries=places&language=nl&796454
- https://www.thuisbezorgd.nl/assets/js/vendor.js?796454
- https://www.thuisbezorgd.nl/assets/js/app.js?796454
- https://www.thuisbezorgd.nl/assets/js/takeaway.js?796454
- https://cdn.optimizely.com/js/2332090555.js
- https://connect.facebook.net/nl_NL/sdk.js
- https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.sync.js
- https://www.thuisbezorgd.nl/scripts/autoload.js?796454

Optimize CSS Delivery of the following:

- https://www.thuisbezorgd.nl/assets/css/takeaway.css?796454
- https://fonts.googleapis.com/css?family=Open+Sans:400,600,700&subset=cyrillic,vietname se

Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

Avoid landing page redirects for the following chain of redirected URLs.

- http://thuisbezorgd.nl/
- https://thuisbezorgd.nl/
- https://www.thuisbezorgd.nl/

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- https://www.thuisbezorgd.nl/xHttp/get-server-time (expiration not specified)
- https://cdn.optimizely.com/js/2332090555.js (2 minutes)
- https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.js (5 minutes)
- https://tags.tiqcdn.com/utag/takeaway/thuisbezorgd.nl/prod/utag.sync.js (5 minutes)
- https://tags.tiqcdn.com/utag/tiqapp/utag.v.js?a=takeaway/thuisbezorgd.nl/201811231621&c b=1543070071557 (10 minutes)
- https://www.googletagmanager.com/gtag/js?id=DC-4952451 (15 minutes)
- https://connect.facebook.net/nl NL/sdk.js (20 minutes)
- https://bat.bing.com/bat.js (30 minutes)
- https://maps.googleapis.com/maps/api/js?v=3&client=gme-takeawaycomnv&channel=web-thuisbezorgdnl&libraries=places&language=nl&796454 (30 minutes)
- https://www.google-analytics.com/plugins/ua/ec.js (60 minutes)
- https://www.googleadservices.com/pagead/conversion async.js (60 minutes)
- https://www.google-analytics.com/analytics.js (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify lavaScript for the following resources to reduce their size by 537B (26% reduction).

 Minifying https://www.thuisbezorgd.nl/scripts/autoload.js?796454 could save 537B (26%) reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-thefold content. Prioritize visible content that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 18% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:10



4 Passed Rules

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Optimize images

Your images are optimized. Learn more about optimizing images.