# PageSpeed Insights

Mobile

29 / 100 Speed

🔋 Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://thunder-x3.ru/bitrix/js/main/core/core.js?1472033609117733

- https://thunder-x3.ru/bitrix/js/main/core/core_db.js?147203360111131

- https://thunder-x3.ru/bitrix/js/main/core/core_ajax.js?147203361035602

- https://thunder-x3.ru/bitrix/js/main/json/json2.min.js?14720330203467

Mobile

- https://thunder-x3.ru/bitrix/js/main/core/core_ls.js?147203302010430

- https://thunder-x3.ru/bitrix/js/main/core/core_fx.js?147203302016538

- https://thunder-x3.ru/bitrix/js/main/core/core_frame_cache.js?147203360517555

- https://thunder-x3.ru/bitrix/js/main/core/core_window.js?147203360196650

- https://thunder-x3.ru/bitrix/js/socialservices/ss_admin.js?14720336392117

[Optimize CSS Delivery](#) of the following:

- https://thunder-x3.ru/bitrix/js/main/core/css/core.css?14720330203963

- https://thunder-x3.ru/bitrix/js/socialservices/css/ss_admin.css?1472033639370

- https://thunder-x3.ru/bitrix/panel/main/popup.css?147203358923084

- https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css

- https://thunder-x3.ru/css/normalize.css

- https://thunder-x3.ru/css/bootstrap.min.css

- https://thunder-x3.ru/css/slick.css

- https://thunder-x3.ru/css/slick-theme.css

- https://thunder-x3.ru/css/owl.carousel.css

- https://thunder-x3.ru/css/style.css?124

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 2MiB (70% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/471/24199_1410x700.jpg could save 624.7KiB (78% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/a1a/24114_thunderx3_2000x620_new.jpg could save 549.1KiB (75% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/ccb/24113_thunderx3_2000x620_3.jpg could save 473.7KiB (72% reduction).

Mobile

- Compressing https://thunder-x3.ru/upload/iblock/ef1/yc1.jpg could save 117.9KiB (61% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/32f/ed3.jpg could save 101.6KiB (73% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/929/thunderx3_plexus_1000_700x350_1_.jpg could save 72.8KiB (67% reduction).

- Compressing https://thunderx3.com/wp-content/uploads/2017/05/TX3-Wallpaper.jpg could save 50.9KiB (32% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/e68/thunderx3_ak7_gaming_keyboard_700x350_1_.jpg could save 49.9KiB (56% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/1e9/thunderx3_am7_gaming_mouse_700x350_1_.jpg could save 38.4KiB (58% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-per.png could save 7.1KiB (36% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-comp.png could save 4.5KiB (32% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-chair.png could save 3.9KiB (30% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-table.png could save 2.2KiB (27% reduction).

🔼 Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 2KiB (54% reduction).

- Compressing https://thunder-x3.ru/images/cart-icon.svg could save 1.9KiB (56% reduction).

- Compressing https://thunder-x3.ru/bitrix/js/socialservices/css/ss_admin.css?1472033639370 could save 134B (37% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- https://bitrix.info/bx_stat (expiration not specified)

- https://www.googletagmanager.com/gtag/js?id=UA-109953152-3 (15 minutes)

- https://maps.googleapis.com/maps/api/js?key=AIzaSyChV3XlCA15rC_2M77xZVrB6OIJcXaDSn E&sensor=false&language=ru-RU (30 minutes)

- https://mc.yandex.ru/metrika/advert.gif (60 minutes)

- https://mc.yandex.ru/metrika/tag.js (60 minutes)

- https://www.google-analytics.com/analytics.js (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 5.2KiB (18% reduction).

- Minifying https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css could save 1.3KiB (17% reduction) after compression.

- Minifying https://thunder-x3.ru/css/normalize.css could save 1.2KiB (56% reduction) after compression.

- Minifying https://thunder-x3.ru/css/style.css?124 could save 1.2KiB (11% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/css/core.css?14720330203963 could save 547B (40% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/panel/main/popup.css?147203358923084 could save 477B (12% reduction) after compression.

- Minifying https://thunder-x3.ru/css/owl.carousel.css could save 229B (18% reduction) after compression.

- Minifying https://thunder-x3.ru/css/slick-theme.css could save 190B (22% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 17.5KiB (21% reduction).

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core.js?1472033609117733 could save 5.9KiB (21% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_window.js?147203360196650 could save 3.5KiB (18% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_ajax.js?147203361035602 could save 2.3KiB (24% reduction) after compression.

- Minifying https://thunder-x3.ru/js/owl.carousel.js could save 1.8KiB (22% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_fx.js?147203302016538 could save 1.1KiB (27% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_db.js?147203360111131 could save 890B (33% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_frame_cache.js?147203360517555 could save 811B (17% reduction) after compression.

- Minifying https://thunder-x3.ru/js/main.js could save 767B (28% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_ls.js?147203302010430 could save 503B (20% reduction) after compression.

Mobile

✅ 4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

97 / 100 User Experience

⚠ Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target <a class="slide-prev slick-arrow"> and 1 others are close to other tap targets final.

Mobile

- The tap target <li id="slick-slide10" class="">1 and 1 others are close to other tap targets final.

- The tap target <button type="button">1</button> is close to 3 other tap targets final.

- The tap target <button type="button">1</button> and 1 others are close to other tap targets final.

- The tap target <button type="button">2</button> is close to 3 other tap targets final.

- The tap target Условия оплаты and 5 others are close to other tap targets.

✔ 4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop

32 / 100 Speed

🔲 Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 2.1MiB (70% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/471/24199_1410x700.jpg could save 624.7KiB (78% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/a1a/24114_thunderx3_2000x620_new.jpg could save 549.1KiB (75% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/ccb/24113_thunderx3_2000x620_3.jpg could save 473.7KiB (72% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/ef1/yc1.jpg could save 117.9KiB (61% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/32f/ed3.jpg could save 101.6KiB (73% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/929/thunderx3_plexus_1000_700x350_1_.jpg could save 72.8KiB (67% reduction).

- Compressing https://thunderx3.com/wp-content/uploads/2017/05/TX3-Wallpaper.jpg could save 50.9KiB (32% reduction).

- Compressing https://thunder-x3.ru/upload/iblock/e68/thunderx3_ak7_gaming_keyboard_700x350_1_.jpg could save 49.9KiB (56% reduction).

- Compressing https://thunder-

x3.ru/upload/iblock/1e9/thunderx3_am7_gaming_mouse_700x350_1_.jpg could save 38.4KiB (58% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-per.png could save 7.1KiB (36% reduction).

- Compressing and resizing https://thunder-x3.ru/images/ThunderX3-Logo.png could save 5.7KiB (67% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-comp.png could save 4.5KiB (32% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-chair.png could save 3.9KiB (30% reduction).

- Compressing https://thunder-x3.ru/images/m-icon-table.png could save 2.2KiB (27% reduction).

🔶 Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 2KiB (54% reduction).

- Compressing https://thunder-x3.ru/images/cart-icon.svg could save 1.9KiB (56% reduction).

- Compressing https://thunder-x3.ru/bitrix/js/socialservices/css/ss_admin.css?1472033639370 could save 134B (37% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

Desktop

- https://bitrix.info/bx_stat (expiration not specified)

- https://www.googletagmanager.com/gtag/js?id=UA-109953152-3 (15 minutes)

- https://maps.googleapis.com/maps/api/js?key=AIzaSyChV3XlCA15rC_2M77xZVrB6OIJcXaDSn E&sensor=false&language=ru-RU (30 minutes)

- https://mc.yandex.ru/metrika/advert.gif (60 minutes)

- https://mc.yandex.ru/metrika/tag.js (60 minutes)

- https://www.google-analytics.com/analytics.js (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 5.2KiB (18% reduction).

- Minifying https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css could save 1.3KiB (17% reduction) after compression.

- Minifying https://thunder-x3.ru/css/normalize.css could save 1.2KiB (56% reduction) after compression.

- Minifying https://thunder-x3.ru/css/style.css?124 could save 1.2KiB (11% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/css/core.css?14720330203963 could save 547B (40% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/panel/main/popup.css?147203358923084 could save 477B (12% reduction) after compression.

- Minifying https://thunder-x3.ru/css/owl.carousel.css could save 229B (18% reduction) after compression.

- Minifying https://thunder-x3.ru/css/slick-theme.css could save 190B (22% reduction) after compression.

Minify JavaScript

Desktop

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 17.5KiB (21% reduction).

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core.js?1472033609117733 could save 5.9KiB (21% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_window.js?147203360196650 could save 3.5KiB (18% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_ajax.js?147203361035602 could save 2.3KiB (24% reduction) after compression.

- Minifying https://thunder-x3.ru/js/owl.carousel.js could save 1.8KiB (22% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_fx.js?147203302016538 could save 1.1KiB (27% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_db.js?147203360111131 could save 890B (33% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_frame_cache.js?147203360517555 could save 811B (17% reduction) after compression.

- Minifying https://thunder-x3.ru/js/main.js could save 767B (28% reduction) after compression.

- Minifying https://thunder-x3.ru/bitrix/js/main/core/core_ls.js?147203302010430 could save 503B (20% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript](#):

- https://thunder-x3.ru/bitrix/js/main/core/core.js?1472033609117733

- https://thunder-x3.ru/bitrix/js/main/core/core_db.js?147203360111131

Desktop

- https://thunder-x3.ru/bitrix/js/main/core/core_ajax.js?147203361035602

- https://thunder-x3.ru/bitrix/js/main/json/json2.min.js?14720330203467

- https://thunder-x3.ru/bitrix/js/main/core/core_ls.js?147203302010430

- https://thunder-x3.ru/bitrix/js/main/core/core_fx.js?147203302016538

- https://thunder-x3.ru/bitrix/js/main/core/core_frame_cache.js?147203360517555

- https://thunder-x3.ru/bitrix/js/main/core/core_window.js?147203360196650

- https://thunder-x3.ru/bitrix/js/socialservices/ss_admin.js?14720336392117

[Optimize CSS Delivery](#) of the following:

- https://thunder-x3.ru/bitrix/js/main/core/css/core.css?14720330203963

- https://thunder-x3.ru/bitrix/js/socialservices/css/ss_admin.css?1472033639370

- https://thunder-x3.ru/bitrix/panel/main/popup.css?147203358923084

- https://code.jquery.com/ui/1.12.1/themes/base/jquery-ui.css

- https://thunder-x3.ru/css/normalize.css

- https://thunder-x3.ru/css/bootstrap.min.css

- https://thunder-x3.ru/css/slick.css

- https://thunder-x3.ru/css/slick-theme.css

- https://thunder-x3.ru/css/owl.carousel.css

- https://thunder-x3.ru/css/style.css?124

✅ 4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Desktop

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).