


# PageSpeed Insights

## Mobile



### Юридическая фирма Ветров и партнеры

Команда юристов оказывает юридические услуги по ведению судебных, налоговых, корпоративных и прочих споров, а также по сопровождению бизнеса, охране и защите интеллектуальной собственности.

Каждый из наших юристов обладает опытом участия во множестве судебных разбирательств и переговоров, может самостоятельно обеспечивать сопровождение бизнеса и специализируется на отдельной группе вопросов, обеспечивая максимально возможную компетентность.

Наши клиенты находятся в разных городах России (в т.ч. Новосибирск, Томск, Омск, Барнаул, Красноярск, Кемерово, Новокузнецк, Иркутск, Чита, Владивосток, Москва, Санкт-Петербург, Екатеринбург, Нижний Новгород, Казань, Самара, Челябинск, Ростов-на-Дону, Уфа, Волгоград, Пермь, Воронеж, Саратов, Краснодар, Тольятти, Сочи).

Это физические лица, индивидуальные предприниматели, юридические лица. Мы относимся к клиентам, как к своим знакомым, а порой и новым друзьям. Людям, которым мы с уверенностью поможем.



Spikml

61 / 100 Speed

Should Fix:

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- [https://vitvet.com/templates/new\\_vitvet/js/head.js](https://vitvet.com/templates/new_vitvet/js/head.js)
- [https://vitvet.com/templates/new\\_vitvet/js/vendor.js](https://vitvet.com/templates/new_vitvet/js/vendor.js)
- [https://vitvet.com/templates/new\\_vitvet/js/common.js](https://vitvet.com/templates/new_vitvet/js/common.js)
- [https://vitvet.com/templates/new\\_vitvet/js/stardisk.js](https://vitvet.com/templates/new_vitvet/js/stardisk.js)

## Mobile

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Lora:400,400i,700|PT+Sans:400,400i,700>
- [https://vitvet.com/templates/new\\_vitvet/css/vendor.css](https://vitvet.com/templates/new_vitvet/css/vendor.css)
- [https://vitvet.com/templates/new\\_vitvet/css/app.css](https://vitvet.com/templates/new_vitvet/css/app.css)

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 28.6KiB (66% reduction).

- Compressing <https://spikmi.com/Widget?Id=161> could save 28.6KiB (66% reduction).

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://spikmi.com/spikmi.png> (expiration not specified)
- <https://www.google.com/recaptcha/api.js> (5 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/634377750408475?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)

## Mobile

- <https://ssl.google-analytics.com/ga.js> (2 hours)

## Reduce server response time

In our test, your server responded in 0.84 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3KiB (15% reduction).

- Minifying <https://vitvet.com/> could save 3KiB (15% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (17% reduction).

- Minifying [https://vitvet.com/templates/new\\_vitvet/js/common.js](https://vitvet.com/templates/new_vitvet/js/common.js) could save 1.2KiB (13% reduction) after compression.
- Minifying [https://vitvet.com/templates/new\\_vitvet/js/stardisk.js](https://vitvet.com/templates/new_vitvet/js/stardisk.js) could save 947B (29% reduction) after compression.

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 24.6KiB (70% reduction).

- Compressing <https://spikmi.com/spikmi.png> could save 16.8KiB (86% reduction).
- Compressing <https://vitvet.com/files/docs/dk.jpg> could save 7.6KiB (53% reduction).
- Compressing [https://vitvet.com/templates/new\\_vitvet/images/reviews-traingle.png](https://vitvet.com/templates/new_vitvet/images/reviews-traingle.png) could save 156B (18% reduction).

### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 55% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:9](#)



2 Passed Rules

### Avoid landing page redirects

## Mobile

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

## 99 / 100 User Experience

### Consider Fixing:

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="https://vitvet.../about/awards/">Все награды</a>` is close to 1 other tap targets.
- The tap target `<a href="https://vitvet.../about/awards/">Все награды</a>` is close to 1 other tap targets.
- The tap target `<button type="button" class="slick-prev fx-...ft slick-arrow">` and 1 others are close to other tap targets.
- The tap target `<button type="button" class="slick-prev fx-...ft slick-arrow">` and 1 others are close to other tap targets.
- The tap target `<a href="https://t.me/vitvet" class="a18622da_e04c_...bf4_mes_circle"></a>` and 3 others are close to other tap targets final.

### 4 Passed Rules

#### Avoid plugins

## Mobile

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).


### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



**79 / 100** Speed

**!** Consider Fixing:

Enable compression

## Desktop

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 28.6KiB (66% reduction).

- Compressing <https://spikmi.com/Widget?Id=161> could save 28.6KiB (66% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://spikmi.com/spikmi.png> (expiration not specified)
- <https://www.google.com/recaptcha/api.js> (5 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/634377750408475?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://ssl.google-analytics.com/ga.js> (2 hours)

## Reduce server response time

In our test, your server responded in 0.91 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3KiB (15% reduction).

- Minifying <https://vitvet.com/> could save 3KiB (15% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (17% reduction).

- Minifying [https://vitvet.com/templates/new\\_vitvet/js/common.js](https://vitvet.com/templates/new_vitvet/js/common.js) could save 1.2KiB (13% reduction) after compression.
- Minifying [https://vitvet.com/templates/new\\_vitvet/js/stardisk.js](https://vitvet.com/templates/new_vitvet/js/stardisk.js) could save 947B (29% reduction) after compression.

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

## Desktop

- [https://vitvet.com/templates/new\\_vitvet/js/head.js](https://vitvet.com/templates/new_vitvet/js/head.js)

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Lora:400,400i,700|PT+Sans:400,400i,700>
- [https://vitvet.com/templates/new\\_vitvet/css/vendor.css](https://vitvet.com/templates/new_vitvet/css/vendor.css)
- [https://vitvet.com/templates/new\\_vitvet/css/app.css](https://vitvet.com/templates/new_vitvet/css/app.css)

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 24.6KiB (70% reduction).

- Compressing <https://spikmi.com/spikmi.png> could save 16.8KiB (86% reduction).
- Compressing <https://vitvet.com/files/docs/dk.jpg> could save 7.6KiB (53% reduction).
- Compressing [https://vitvet.com/templates/new\\_vitvet/images/reviews-traingle.png](https://vitvet.com/templates/new_vitvet/images/reviews-traingle.png) could save 156B (18% reduction).



3 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

## Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

# Desktop

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).